# Minutes

## Hiawatha Storm Water Advisory Committee

### June 21, 2018 at 5:00 pm-6:00pm

#### City Hall Multi-purpose Room

#### 1. Call to order-Present:

Kevin Neuendorf

Ethan Ronnebaum

John Bender-City Engineer

Patrick Parsley-Community Development Director

2 Minutes: John Bender provided the minutes of the December 21, 2017 meeting.

#### 3 Discussion:

- a. Discussion of Chapter 2.01 SUDAS Section 2010-Earthwork, Subgrade, Subbase. (State Urban Design and Specifications)
  - i. Discussion of the SUDAS Section 2.01-Topsoil.
  - ii. Discussion of current Hiawatha Code Chapter 167.10
  - iii. Discussion of proposed Minor Erosion Control Site Development.
- b. Recommendations to Council
  - i. After the discussion of this ordnance, it will be the recommendation of the storm water advisory committee to the City Council that the SUDAS Section 2010 be approved that outlines soil restoration on new developments with the exception of section 3.02 C.2. This section to be modified that on new developments, a minimum of 3" of topsoil be placed on all disturbed areas if the proposal was to sod the property. If the proposal was to seed the property, a minimum of 4" of topsoil will be required. Areas that are not graded or shaped can be eliminated from the

topsoil requirement as long as suitable vegetation can be established to prevent offsite erosion as outlined in the erosion control ordinance.

- c. Review of Chapter 161, Flood Plain Management.
  - i. The current ordinance was reviewed by IDNR staff with only minor recommendations. Staff made minor revisions to adjust the definitions to match other exiting ordinances. The Advisory Committee agrees the changes should be implemented.

#### 4 Other business:

**a.** Future agenda items to review the final draft of the recommended changed to the SUDAS specifications.

#### 5 Other discussions

- **a.** Next meeting proposed September 2018, TBD.
- 6 Adjourn